

New Compressors family dedicated for treatment units Delivering best performance

Dental Oil free compressor,
FAD at 5 bar 77 l/min, tank capacity 24L

SL-01

Technical specifications:

Dental chairs 1 unit with Electric Suction

Air Capacity 130 l/min

FAD @ 5bar 77 l/min

Motor 0,75 HP 0,55 KW

Volt. Freq. 230V 50/60 Hz

Receiver 24l

Noise Level 69 dB(A)

Duty cycle 50%

Max pressure 7 bar 101 PSI

Size 400x400x550 mm

Net weight 28 Kg



New Compressors family dedicated for treatment units for best performance

Dental Oil free compressor,
FAD at 5 bar 135 l/min, tank capacity 24L

Technical specifications:

SL-02

Dental chairs 2 units with Electric Suction or 1 unit with Air Venturi Suction

Air Capacity 182 l/min

FAD @ 5bar 135 l/min

Motor 1.5 HP 1.1 KW

Volt. Freq. 230V 50/60 Hz

Receiver 24l

Noise Level 69 dB(A)

Duty cycle 50%

Max pressure 7 bar 101 PSI

Size 400x400x550 mm

Net weight 28 Kg



New Suction systems family dedicated for treatment units for best performance

Suction unit 0,5 Hp with canister, max air flow 1.230 l/min,
operating head 130 mbar.

STU-01

Technical specifications:

Dental chairs	1
Air Capacity	1230 l/min
FAD @ 5bar	--- l/min
Motor	0..5 HP 0.37 KW
Volt. Freq.	230V 50/60 Hz
Noise Level	58 dB(A)
Duty cycle	100%
Max oper. head	130 mbar
Size	317x470x360 mm
Net weight	18 Kg



New Suction systems family dedicated for treatment units for best performance

Complete suction unit 0,5 Hp with soundproof cabinet, max air flow 1.230 l/min, operating head 120 mbar.

STU-02

Technical specifications:

Dental chairs	1
Air Capacity	1230 l/min
FAD @ 5bar	--- l/min
Motor	0..5 HP 0.37 KW
Volt. Freq.	230V 50/60 Hz
Noise Level	50 dB(A)
Duty cycle	100%
Max oper. head	120 mbar
Size	470x310x380 mm
Net weight	27 Kg

